Hybrid Pro Rental Kit:
Hybrid Pro Modular Kit 02

Dye Sub Graphic Panels A
Total Graphic Area: 95.4375”w x 98.375”h
Finished Graphic Area: 91.4375”w x 94.375”h

Dye Sub Graphic Panels B
Total Graphic Area: 15.6875”w x 98.375”h
Finished Graphic Area: 11.6875”w x 94.375”h

Dye Sub Graphic Panels C
Total Graphic Area: 73.0625”w x 98.375”h
Finished Graphic Area: 69.0625”w x 94.375”h

Please be sure to include a 2” bleed around the perimeter of the center graphic.

Please consider obstructions and spaces created by the extrusions when designing your graphics.

General Art Guidelines:

- CMYK Color Mode
- All Solid Coated Pantone colors should be called out in the art as spot colors
- Embed all images and support files
- Resolution must be 100-120 ppi
- All fonts must be created to outlines
- Do not scale artboard
- Background color/images must bleed to the edge of artboard
- Do not use spot colors from template in your artwork as they will not print

PANEL A

Literature Rack Obstruction

PANEL B

REPRESENTS OBSTRUCTION ONLY

PANEL C

bleed area
trim line
safe zone

Hybrid Pro Rental Kit:
Hybrid Pro Modular Kit 02

Dye Sub Graphic Panels A
Total Graphic Area: 95.4375”w x 98.375”h
Finished Graphic Area: 91.4375”w x 94.375”h

Dye Sub Graphic Panels B
Total Graphic Area: 15.6875”w x 98.375”h
Finished Graphic Area: 11.6875”w x 94.375”h

Dye Sub Graphic Panels C
Total Graphic Area: 73.0625”w x 98.375”h
Finished Graphic Area: 69.0625”w x 94.375”h

Please be sure to include a 2” bleed around the perimeter of the center graphic.

Please consider obstructions and spaces created by the extrusions when designing your graphics.

General Art Guidelines:

- CMYK Color Mode
- All Solid Coated Pantone colors should be called out in the art as spot colors
- Embed all images and support files
- Resolution must be 100-120 ppi
- All fonts must be created to outlines
- Do not scale artboard
- Background color/images must bleed to the edge of artboard
- Do not use spot colors from template in your artwork as they will not print

PANEL A

Literature
Rack
Obstructio

PANEL B

REPRESENTS
OBSTRUCTION ONLY

e

on

PANEL C

bleed area
trim line
safe zone