PANEL A
OUTSIDE

PANEL A
INSIDE

PANEL B
OUTSIDE

PANEL B
INSIDE

Hybrid Pro Modular Kit:
Hybrid Pro Modular Kit 05

UV Graphic Panels A, B, D, E, G, H

Total Graphic Area: 13.28”w x 44.28”h
Finished Graphic Area: 12.28”w x 43.28”h
Please note that graphics A, B, G and H will be double sided printed.

Dye Sub Graphic Panel C , F
Total Graphic Area: 51.125 x 98.375”h
Finished Graphic Area: 47.125”w x 94.375”h

Please be sure to include a 2” bleed around the perimeter of panel C and F.

Please be sure to include a .5” bleed around the perimeter of panels A, B, D, E, G, H.

Please consider obstructions and spaces created by the extrusions when designing your graphics.

General Art Guidelines:

– CMYK Color Mode
– All Solid Coated Pantone colors should be called out in the art as spot colors
– Embed all images and support files
– Resolution must be 100-120 ppi
– All fonts must be created to outlines
– Do not scale artboard
– Background color/images must bleed to the edge of artboard
– Do not use spot colors from template in your artwork as they will not print

PANEL C

PANEL D

PANEL E

PANEL F

bleed area
trim line
safe zone

PANEL G
INSIDE

PANEL G
OUTSIDE

PANEL H
INSIDE

PANEL H
OUTSIDE

bleed area
trim line

PANEL A
OUTSIDE

PANEL A
INSIDE

PANEL B
OUTSIDE

PANEL B
INSIDE

Hybrid Pro Modular Kit:
Hybrid Pro Modular Kit 05



UV Graphic Panels A, B, D, E, G, H

Total Graphic Area: 13.28”w x 44.28”h
Finished Graphic Area: 12.28”w x 43.28”h
Please note that graphics A, B, G and H will be double sided printed.

Dye Sub Graphic Panel C , F
Total Graphic Area: 51.125 x 98.375”h
Finished Graphic Area: 47.125”w x 94.375”h

Please be sure to include a 2” bleed around the perimeter of panel C and F.

Please be sure to include a .5” bleed around the perimeter of panels A, B, D, E, G, H.

Please consider obstructions and spaces created by the extrusions when designing your graphics.

General Art Guidelines:

– CMYK Color Mode

– All Solid Coated Pantone colors should be called out in the art as spot colors

– Embed all images and support files

– Resolution must be 100-120 ppi

– All fonts must be created to outlines

– Do not scale artboard

– Background color/images must bleed to the edge of artboard

– Do not use spot colors from template in your artwork as they will not print

PANEL C

PANEL D

PANEL E

PANEL F

bleed area
trim line
safe zone

PANEL G
INSIDE

PANEL G
OUTSIDE

PANEL H
INSIDE

PANEL H
OUTSIDE

bleed area
trim line