
PANEL A (Top Outside)
PANEL A (Top Inside)
17.75" height + bleed
17.75" height + bleed
60.75" width + bleed
PANEL G (Top Outside)
PANEL G (Top Inside)
60.75" width + bleed
35.3125" width
23.5" width
94.375" width
23.5" width
35.3125" width
90" height + bleed
PANEL A (Side Outside)
PANEL A (Side Inside)
88.875" height + bleed
82.5625" height + bleed (Panel A)
70.75" height + bleed (Panel B)
PANEL B
PANEL C
Panel B is 5.8" off of the floor
when mounted to hardware
Hybrid Pro Rental Kit:
Hybrid Pro Modular Kit 11
TEMPLATE @ 1/2 SIZE
Dye Sub Graphic Panels A and G top -
(1) print at:
Total Graphic Area: 64.75"w x 21.75"h
Finished Graphic Area: 60.75"w x 17.75"h
(1) print at:
Total Graphic Area: 65.9375"w x 21.75"h
Finished Graphic Area: 61.9375"w x 17.75"h
Dye Sub Graphic Panels A and G side -
(1) print at:
Total Graphic Area: 21.75"w x 94"h
Finished Graphic Area: 17.75"w x 90"h
(1) print at:
Total Graphic Area: 21.75"w x 92.5875"h
Finished Graphic Area: 17.75"w x 88.875"h
Dye Sub Graphic Panels B and F
Total Graphic Area: 39.3125"w x 86.5625"h
Finished Graphic Area: 35.3125"w x 82.5625"h
Dye Sub Graphic Panels C and E
Total Graphic Area: 27.5"w x 74.75"h
Finished Graphic Area: 23.5"w x 70.75"h
Dye Sub Graphic Panels D
Total Graphic Area: 98.375"w x 98.375"h
Finished Graphic Area: 94.375"w x 94.375"h
Please be sure to include a 2" bleed
around the perimeter of the center graphic.
Please consider obstructions and spaces
created by the extrusions when designing
your graphics.
General Art Guidelines:
– CMYK Color Mode
– All Solid Coated Pantone colors should be called out in the art as spot colors
– Embed all images and support files
– Resolution must be 200-240ppi @ 1/2 size, 100-120 ppi @ full size
– All fonts must be created to outlines
– Do not scale artboard
– Background color/images must bleed to the edge of artboard
– Do not use spot colors from template in your artwork as they will not print
PANEL D (Backlit)
PANEL E
PANEL F
Panel B is 5.8" off of the floor
when mounted to hardware
70.75" height + bleed (Panel B)
82.5625" height + bleed (Panel A)
88.875" height + bleed
PANEL G (Side Inside)
PANEL G (Side Outside)
bleed area
trim line
safe zone
90" height + bleed

PANEL A (Top Outside)

PANEL A (Top Inside)

60.75" width + bleed

90" height + bleed

PANEL A (Side Outside)

PANEL A (Side Inside)

PANEL B



PANEL C

Hybrid Pro Rental Kit:
Hybrid Pro Modular Kit 11



TEMPLATE @ 1/2 SIZE
Dye Sub Graphic Panels A and G top -
(1) print at:
Total Graphic Area: 64.75”w x 21.75”h
Finished Graphic Area: 60.75”w x 17.75”h
(1) print at:
Total Graphic Area: 65.9375”w x 21.75”h
Finished Graphic Area: 61.9375”w x 17.75”h

Dye Sub Graphic Panels A and G side -
(1) print at:
Total Graphic Area: 21.75”w x 94”h
Finished Graphic Area: 17.75”w x 90”h
(1) print at:
Total Graphic Area: 21.75”w x 92.5875”h
Finished Graphic Area: 17.75”w x 88.875”h

Dye Sub Graphic Panels B and F
Total Graphic Area: 39.3125”w x 86.5625”h
Finished Graphic Area: 35.3125”w x 82.5625”h

Dye Sub Graphic Panels C and E
Total Graphic Area: 27.5”w x 74.75”h
Finished Graphic Area: 23.5”w x 70.75”h

Dye Sub Graphic Panels D
Total Graphic Area: 98.375”w x 98.375”h
Finished Graphic Area: 94.375”w x 94.375”h

Please be sure to include a 2” bleed around the perimeter of the center graphic.

Please consider obstructions and spaces created by the extrusions when designing your graphics.

General Art Guidelines:

- CMYK Color Mode
- All Solid Coated Pantone colors should be called out in the art as spot colors
- Embed all images and support files
- Resolution must be 200-240ppi @ 1/2 size, 100-120 ppi @ full size
- All fonts must be created to outlines
- Do not scale artboard
- Background color/images must bleed to the edge of artboard
- Do not use spot colors from template in your artwork as they will not print

PANEL D (Backlit)

PANEL E

PANEL F




PANEL G (Top Outside)
PANEL G (Top Inside)
60.75" width + bleed
PANEL G (Side Inside)
PANEL G (Side Outside)
bleed area
trim line
safe zone
90" height + bleed