Hybrid Pro Modular Kit:
Hybrid Pro Modular Kit 16

File @ 25% of actual size
Uv Graphic Panel A, B, D, E, F, G, H, I, J, K, L, M, N, O, Q, R
Total Graphic Area: 13.28"w x 44.28"h
Finished Graphic Area: 12.28"w x 43.28"h
Dye Sub Graphic Panels C and P
Total Graphic Area: 51.125 x 98.375"h
Finished Graphic Area: 47.125"w x 94.375"h

Please consider obstructions and spaces created by the extrusions when designing your graphics.

Please include 2" of bleed around the perimeter of all dyesub panels C and P.

Please include .5 of bleed around the perimeter of panels A, B, D, E, F, G, H, I, J, K, L, M, N, O, Q, R

General Art Guidelines:

- CMYK Color Mode
- All Solid Coated Pantone colors should be called out in the art as spot colors
- Embed all images and support files
- Resolution must be 400-480 ppi at quarter scale, 100-120 ppi at full scale
- All fonts must be created to outlines
- Do not scale artboard
- Background color/images must bleed to the edge of artboard
- Do not use spot colors from template in your artwork as they will not print

PANEL A

PANEL B

REPRESENTS
OBSTRUCTION ONLY

PANEL C

REPRESENTS
OBSTRUCTION ONLY

Use separate template for hybrid counter 07 graphic. This panel only represents placement to show the obstructed area.

PANEL D

PANEL E

PANEL F

PANEL G

PANEL H

PANEL I

PANEL J

PANEL K

REPRESENTS
OBSTRUCTION ONLY

Use separate template for hybrid counter 07 graphic. This panel only represents placement to show the obstructed area.

PANEL L

PANEL M

PANEL N

PANEL O

REPRESENTS
OBSTRUCTION ONLY

PANEL P

REPRESENTS
OBSTRUCTION ONLY

Use separate template for hybrid counter 07 graphic. This panel only represents placement to show the obstructed area.

bleed area
trim line
safe zone

PANEL Q

PANEL R

Hybrid Pro Modular Kit:
Hybrid Pro Modular Kit 16

File @ 25% of actual size
UV Graphic Panel A, B, D, E, F, G, H, I, J, K, L, M, N, O, Q, R
Total Graphic Area: 13.28”w x 44.28”h
Finished Graphic Area: 12.28”w x 43.28”h
Dye Sub Graphic Panels C and P
Total Graphic Area: 51.125 x 98.375”h
Finished Graphic Area: 47.125”w x 94.375”h

Please consider obstructions and spaces created by the extrusions when designing your graphics.

Please include 2” of bleed around the perimeter of all dyesub panels C and P.

Please include .5 of bleed around the perimeter of panels A, B, D, E, F, G, H, I, J, K, L, M, N, O, Q, R

General Art Guidelines:

– CMYK Color Mode
– All Solid Coated Pantone colors should be called out in the art as spot colors
– Embed all images and support files
– Resolution must be 400-480 ppi at quarter scale, 100-120 ppi at full scale
– All fonts must be created to outlines
– Do not scale artboard
– Background color/images must bleed to the edge of artboard
– Do not use spot colors from template in your artwork as they will not print

PANEL A

PANEL B

REPRESENTS
OBSTRUCTION ONLY

PANEL C



PANEL D

PANEL E

PANEL F

PANEL G

PANEL H

PANEL I



PANEL J

PANEL K

NTS
N ONLY

emplate for
07 graphic.
el only
lacement
v the
d area.

PANEL L

PANEL M

PANEL N

PANEL 0

REPRESENTS
OBSTRUCTION ONLY

PANEL P



bleed area
trim line
safe zone

PANEL Q

PANEL R